*Virus Research*, 24 (1992) 325–327

© 1992 Elsevier Science Publishers B.V. All rights reserved 0168-1702/92/$05.00

# Author Index


Antic, D., Kang, C.Y., Spik, K., Schmaljohn, C., Vapalahti, O. and Vaheri, A.
Comparison of the deduced gene products of the L, M and S genome segments of hantaviruses (24) 35

Antoniadis, A., see Ward, V.K. (24) 223

Arif, B., see Lee, H.Y. (24) 249

Bárcena, J., see Nieto, A. (24) 65

Binns, M.M., Boursnell, M.E.G. and Skinner, M.A.
Gene translocations in poxviruses: the fowlpox virus thymidine kinase gene is flanked by 15 bp direct repeats and occupies the locus which in vaccinia virus is occupied by the ribonucleotide reductase large subunit gene (24) 161

Bøg-Hansen, T.C., see Pedersen, I.R. (24) 145

Boursnell, M.E.G., see Binns, M.M. (24) 161

Chiou, J.-F., see Hwang, G.-Y. (24) 315

Colonno, R.J., see Lineberger, D.W. (24) 173

Crowell, R.L., see Lindberg, A.M. (24) 187

Cruz, J.R., see Yang, C.-F. (24) 277

Dalsgaard, K., see Pedersen, I.R. (24) 145

De, L., see Yang, C.-F. (24) 277

De la Luna, S., see Nieto, A. (24) 65

De Melo, M., Mottet, G., Orvell, C. and Roux, L.
Sendai virus M protein is found in two distinct isoforms defined by monoclonal antibodies (24) 47

Dimock, K., see Ebata, S.N. (24) 21

Dobos, P., see Lee, H.Y. (24) 249

Duncan, J., see Ray, R. (24) 107

Ebata, S.N., Prevec, L., Graham, F.L. and Dimock, K.
Function and immunogenicity of human parainfluenza virus 3 glycoproteins expressed by recombinant adenoviruses (24) 21

El-Ghorr, A.A., see Ward, V.K. (24) 223

Ertl, H.C.J., see Xiang, Z.Q. (24) 297

Feldmann, H., Mühlberger, E., Randolf, A., Will, C., Kiley, M.P., Sanchez, A. and Klenk, H.-D.
Marburg virus, a filovirus: messenger RNAs, gene order, and regulatory elements of the replication cycle (24) 1

Fritzell, C., see Herzog, M. (24) 77

Galarza, J.M., Sowa, A., Hill, V.M., Skorko, R. and Summers, D.F.
Influenza A virus NP protein expressed in insect cells by a recombinant baculovirus is associated with a protein kinase activity and possesses single-stranded RNA binding activity (24) 91

Gelderblom, H., see Voss, G. (24) 197

Gómez, J.R., see Yang, C.-F. (24) 277

Gonzalez-Scarano, F., Jacoby, D., Griot, C. and Nathanson, N.
Genetics, infectivity and virulence of California serogroup viruses (24) 123

Gounon, P., see Vazeille-Falcoz, M. (24) 235

Graham, D.J., see Lineberger, D.W. (24) 173

Graham, F.L., see Ebata, S.N. (24) 21

Grillner, L., see Plachter, B. (24) 265

Griot, C., see Gonzalez-Scarano, F. (24) 123

Heegaard, P.M.H., see Pedersen, I.R. (24) 145

Herzog, M., Lafage, M., Montaño-Hirose, J.A., Fritzell, C., Scott-Algara, D. and Lafon, M.
Nucleocapsid specific T and B cell responses in humans after rabies vaccination (24) 77

Hill, V.M., see Galarza, J.M. (24) 91

Holloway, B.P., see Yang, C.-F. (24) 277

Hunsmann, G., see Voss, G. (24) 197

Hwang, G.-Y., Yang, Y.-Y., Chiou, J.-F. and Li, J.K.-K.
Comparative sequence analyses of the cognate structural protein VP6 genes of five US bluetongue viruses (24) 315

Jacoby, D., see Gonzalez-Scarano, F. (24) 123

Jahn, G., see Plachter, B. (24) 265

Kandolf, R., see Lindberg, A.M. (24) 187
Kang, C.Y., see Antic, D. (24) 35
Kew, O.M., see Yang, C.-F. (24) 277
Kiley, M.P., see Feldmann, H. (24) 1
Kirchhoff, F., see Voss, G. (24) 197
Klenk, H.-D., see Feldmann, H. (24) 1
Kolakofsky, D., see Rochat, S. (24) 137
Komada, H., see Rochat, S. (24) 137
Krell, P., see Lee, H.Y. (24) 249

Lafage, M., see Herzog, M. (24) 77
Lafon, M., see Herzog, M. (24) 77
Lee, H.Y., Arif, B., Dobos, P. and Krell, P.
Identification of bent DNA and *ARS* fragments in the genome of *Choristoneura fumiferana* nuclear polyhedrosis virus (24) 249
Li, J.K.-K., see Hwang, G.-Y. (24) 315
Lindberg, A.M., Crowell, R.L., Zell, R., Kandolf, R. and Pettersson, U.
Mapping of the RD phenotype of the Nancy strain of coxsackievirus B3 (24) 187
Lineberger, D.W., Uncapher, C.R., Graham, D.J. and Colonno, R.J.
Domains 1 and 2 of ICAM-1 are sufficient to bind human rhinoviruses (24) 173

Mach, M., see Plachter, B. (24) 265
Marriott, A.C., see Ward, V.K. (24) 223
Matsuoka, Y., see Ray, R. (24) 107
Melero, J.A., see Nieto, A. (24) 65
Montaño-Hirose, J.A., see Herzog, M. (24) 77
Moosmayer, D., see Voss, G. (24) 197
Mottet, G., see De Melo, M. (24) 47
Mühlberger, E., see Feldmann, H. (24) 1

Nathanson, N., see Gonzalez-Scarano, F. (24) 123
Neill, J.D.
Nucleotide sequence of the capsid protein gene of two serotypes of San Miguel sea lion virus: Identification of conserved and non-conserved amino acid sequences among calicivirus capsid proteins (24) 211
Nick, S., see Voss, G. (24) 197
Nieto, A., De la Luna, S., Bárcena, J., Portela, A., Valcárcel, J., Melero, J.A. and Ortín, J.
Nuclear transport of influenza virus polymerase PA protein (24) 65
Nordin, M., see Plachter, B. (24) 265
Nuttall, P.A., see Ward, V.K. (24) 223

Ohayon, H., see Vazeille-Falcoz, M. (24) 235
Ortín, J., see Nieto, A. (24) 65
Orvell, C., see De Melo, M. (24) 47

Pallansch, M.A., see Yang, C.-F. (24) 277
Pedersen, I.R., Bøg-Hansen, T.C., Dalsgaard, K. and Heegaard, P.M.H.
Iscom immunization with synthetic peptides representing measles virus hemagglutinin (24) 145
Pettersson, U., see Lindberg, A.M. (24) 187
Plachter, B., Nordin, M., Zweygberg Wirgart, B., Mach, M., Stein, H., Grillner, L. and Jahn, G.
The DNA-binding protein P52 of human cytomegalovirus reacts with monoclonal antibody CCH2 and associates with the nuclear membrane at late times after infection (24) 265
Polyzoni, T., see Ward, V.K. (24) 223
Portela, A., see Nieto, A. (24) 65
Prevec, L., see Ebata, S.N. (24) 21

Quinn, R., see Ray, R. (24) 107

Randolf, A., see Feldmann, H. (24) 1
Ray, R., Duncan, J., Quinn, R. and Matsuoka, Y.
Distinct hemagglutinin and neuraminidase epitopes involved in antigenic variation of recent human parainfluenza virus type 2 isolates (24) 107
Rochat, S., Komada, H. and Kolakofsky, D.
Loss of V protein expression in human parainfluenza virus type 1 is not a recent event (24) 137
Rosen, L., see Vazeille-Falcoz, M. (24) 235
Roux, L., see De Melo, M. (24) 47

Samal, S.K., see Zamora, M. (24) 115
Sanchez, A., see Feldmann, H. (24) 1
Schmaljohn, C., see Antic, D. (24) 35
Scott-Algara, D., see Herzog, M. (24) 77
Skinner, M.A., see Binns, M.M. (24) 161
Skorko, R., see Galarza, J.M. (24) 91
Sowa, A., see Galarza, J.M. (24) 91
Spik, K., see Antic, D. (24) 35
Stein, H., see Plachter, B. (24) 265
Summers, D.F., see Galarza, J.M. (24) 91

Uncapher, C.R., see Lineberger, D.W. (24) 173

Vaheri, A., see Antic, D. (24) 35
Valcárcel, J., see Nieto, A. (24) 65
Vapalahti, O., see Antic, D. (24) 35
Vazeille-Falcoz, M., Ohayon, H., Gounon, P. and Rosen, L.
Unusual morphology of a virus which produces carbon dioxide sensitivity in mosquitoes (24) 235

Voss, G., Kirchhoff, F., Nick, S., Moosmayer, D., Gelderblom, H. and Hunsmann, G.
Morphogenesis of recombinant HIV-2 gag core particles (24) 197

Ward, V.K., Marriott, A.C., Polyzoni, T., El-Ghorr, A.A., Antoniadis, A. and Nuttall, P.A.
Expression of the nucleocapsid protein of Dugbe virus and antigenic cross-reactions with other nairoviruses (24) 223
Will, C., see Feldmann, H. (24) 1

Xiang, Z.Q. and Ertl, H.C.J.
Transfer of maternal antibodies results in inhibition of specific immune responses in the offspring (24) 297

Yang, C.-F., De, L., Yang, S.-J., Gómez, J.R., Cruz, J.R., Holloway, B.P., Pallansch, M.A. and Kew, O.M.
Genotype-specific in vitro amplification of sequences of the wild type 3 polioviruses from Mexico and Guatemala (24) 277
Yang, S.-J., see Yang, C.-F. (24) 277
Yang, Y.-Y., see Hwang, G.-Y. (24) 315

Zamora, M. and Samal, S.K.
Gene junction sequences of bovine respiratory syncytial virus (24) 115
Zell, R., see Lindberg, A.M. (24) 187
Zweygberg Wirgart, B., see Plachter, B. (24) 265

*Virus Research*, 24 (1992) 329–330
© 1992 Elsevier Science Publishers B.V. All rights reserved 0168-1702/92/$05.00


# Subject Index

Adenovirus, (24) 21
*Aedes albopictus*, (24) 235
Amino acid sequence, (24) 35
Antigenic diversity, (24) 211
antigenic variation, (24) 107
Autonomously replicating sequence (*ARS*), (24) 249
Autophosphorylation, (24) 91

Baculovirus, (24) 249
Baculovirus expression, (24) 223
Bent DNA, (24) 249
Bluetongue virus, (24) 315
Bovine respiratory syncytial virus, (24) 115

Calicivirus, (24) 211
Capsid protein, (24) 211
Carbohydrate, (24) 173
Carbon dioxide sensitivity, (24) 235
Chimera virus, (24) 187
*Choristoneura fumiferana* NPV, (24) 249
Cognate gene, (24) 315
Confocal microscopy, (24) 265

DNA-binding protein p52, (24) 265
DNA replication, (24) 249
Dugbe virus, (24) 223

Early antigens, (24) 265
Epitope, (24) 47
Evolutionary relationship to paramyxoviruses and rhabdoviruses, (24) 1

Filovirus, (24) 1
Fowlpox virus thymidine kinase, (24) 161
Fusion, (24) 21

Gene-end sequence, (24) 115
Gene gag, (24) 197
Gene junction, (24) 115
Gene order, (24) 1
Gene pol, (24) 197
Gene-start sequence, (24) 115
Gene translocation, (24) 161

Hantavirus, (24) 35
Hemagglutinin, (24) 21
Hemagglutinin functional site, (24) 107
HIV-2, (24) 197
Host cell receptor, (24) 187
Host-range mutant, (24) 187
Human, (24) 35
Human cytomegalovirus, (24) 265
Human lymphocyte, (24) 77
Human parainfluenza virus, (24) 137
Human parainfluenza virus type 3, (24) 21
Human parainfluenza virus type 2, (24) 107

Immunization, (24) 145
Immunostimulating complex, (24) 145
Influenza virus polymerase, (24) 65
Intergenic sequence, (24) 115
In vitro amplification, (24) 277

Limiting dilution, (24) 77
Loss of V protein expression, (24) 137

Marburg virus, (24) 1
Maternal antibody, (24) 297
Matsu virus, (24) 235
Measles virus, (24) 145
Molecular phylogeny, (24) 315
Monoclonal antibody, (24) 47, (24) 107
Monoclonal antibody CCH2, (24) 265
Mouse, (24) 21
M protein, (24) 47

Nairovirus cross-reactivity, (24) 223
Neuraminidase, (24) 21
Neuraminidase functional site, (24) 107
Nucleocapsid, (24) 77
Nucleotide sequence, (24) 187, (24) 315

Particle assembly, (24) 197
PA subunit, (24) 65
Picornavirus, (24) 173
Polymerase chain reaction, (24) 277
Protective immunity, (24) 297
Protein expression, (24) 137

Rabies, (24) 77
Rabies virus, (24) 297
Recombinant VV, (24) 197
Regulatory elements in transcription and replication, (24) 1

Serotype, (24) 211
Sf9 cell, (24) 91
Sigma virus, (24) 235
Subgenomic RNAs, (24) 1
Synthetic peptide, (24) 145

Vaccine failure, (24) 297
Viral receptor, (24) 173
Virion RNP, (24) 91
Virus capsid protein VP2, (24) 187

Wild genotype detection, (24) 277
Wild polioviruses, (24) 277